

New and Used Machine Tools

e-mail: machinetools@mindspring.com
P.O. Box 16196 • Greenville, S.C. 29606 • SC (864) 288-4255 • FAX (864) 752-1650

Proposal No. 053113.5

We are pleased to offer for your consideration:

ONE (1) NEW U.S. INDUSTRIAL 10' X 1/4" HYDRAULIC SHEAR

Model Number: US1025

STANDARD EQUIPMENT: (All below comes with the machine)

- | | |
|---|---|
| Squaring Arm | Bolt on table segments...qty of 3 |
| High Carbon, High Chrome Shear Blades | Hold-downs faced w/anti-mar neoprene |
| Quantity of 24, 1" ball transfers | Swing Beam Design |
| Manual Quick Change Blade gap adj. | Pressure Sensing Hold downs |
| Squaring Arm, 43.5" from blade to end | Electric stroke adjustment |
| Stroke Counter | Operator control console |
| Front-controlled power back gauge | Shadow lighting |
| Blade Guard, Micro switch protected | Low noise gear pump |
| Hydraulic, Electrical Overload Protection | 3 support arms |
| Automatic Swing-up on back gauge | <u>Material Support/Drop Chute</u> |

SPECIFICATIONS:

- | | |
|--------------------------------|-----------------------------|
| Sheet Size | 126" |
| Shearing Capacity | 1/4" Mild Steel @ 65000 PSI |
| Shear Angle | 1 degree 30' |
| No Load Strokes | 14 |
| Throat Depth | 5.5" |
| Adjustment Range Of Back Gauge | 0.75"-36" |
| Hydraulic Oil Capacity | 71 Gal. |
| Main Motor | 15 HP |
| Net Weight | 15,500 lbs |
| Dimensions (L x W x H) | 12.5' x 5' x 5' |
| Operating Voltage | 220/440 3ph. |

PRICE.....F.O.B. Memphis..... \$27,985.00 (2 Weeks delivery)

AVAILABLE OPTIONS:

3-Axis CNC Programmable Back Gauge \$ 4,990.00
* Touch-screen operated. Controls back gauge depth, blade gap and stroke length 10 program storage capacity, Can be operated in manual or automatic mode

6 Foot Squaring Arm	\$ 1,795.00
8 Foot Squaring Arm	\$ 1,995.00
10 Foot Squaring Arm	\$ 2,295.00
Pneumatic Sheet Support	\$ 4,990.00

Terms of Payment: 25% Deposit with order balance on delivery.

ONE NEW U.S. INDUSTRIAL 10' X 1/4" HYDRAULIC SHEAR

Model Number: US1025



STANDARD MATERIAL CHUTE




CONTROL PANEL

FRONT OPERATED BACKGAUGE WITH READ OUT



QUICK BLADE GAP ADJUSTMENT

STANDARD



MACHINE TABLE WITH BALL MATERIAL SUPPORTS

STANDARD

